

Your Global Automation Partner

TURCK



커넥티비티 프로모션

M8 케이블

모델명	ID No.	유형	핀 수	케이블 길이	LED	실드	디자인	재질		
PSG3M-2/TXL	6625562	Male	3	2	-	-	일자형	PUR		
PSG3M-5/TXL	6625563		3	5	-	-				
PSG3M-10/TXL	6625564		3	10	-	-				
PKG3M-2/TXL	6625550		3	2	-	-				
PKG3M-5/TXL	6625551		3	5	-	-				
PKG3M-10/TXL	6625552		3	10	-	-				
PKG3M-2/TEL	6625058		3	2	-	-				
PKG3M-5/TEL	6625059		3	5	-	-				
PKG3M-10/TEL	6625060		3	10	-	-				
PKW3M-2/TXL	6625556	Female	3	2	-	-	직각형	PVC		
PKW3M-5/TXL	6625557		3	5	-	-				
PKW3M-10/TXL	6625558		3	10	-	-				
PKW3M-2/TEL	6625064		3	2	-	-				
PKW3M-5/TEL	6625065		3	5	-	-				
PKW3M-10/TEL	6625066		3	10	-	-				
PKW3M-P7X2-2/TXL	6626202		3	2	●	-				
PKW3M-P7X2-5/TXL	6626206		3	5	●	-				
PKW3M-P7X2-10/TXL	6626210		3	10	●	-				
PSG4M-2/TXL	6625565	Male	4	2	-	-	일자형	PUR		
PSG4M-5/TXL	6625566		4	5	-	-				
PSG4M-10/TXL	6625567		4	10	-	-				
PKG4M-2/TXL	6625553	Female	4	2	-	-			직각형	PVC
PKG4M-3/TXL	6627064		4	3	-	-				
PKG4M-4/TXL	6627071		4	4	-	-				
PKG4M-5/TXL	6625554		4	5	-	-				
PKG4M-10/TXL	6625555		4	10	-	-				
PKG4M-2/TEL	6625061		4	2	-	-				
PKG4M-5/TEL	6625062		4	5	-	-				
PKG4M-10/TEL	6625063		4	10	-	-				
PKW4M-2/TXL	6625559		Female	4	2	-	-	직각형		
PKW4M-5/TXL	6625560	4		5	-	-				
PKW4M-10/TXL	6625561	4		10	-	-				
PKW4M-2/TEL	6625067	4		2	-	-				
PKW4M-5/TEL	6625068	4		5	-	-				
PKW4M-10/TEL	6625069	4		10	-	-				
PKW4M-P7X2-2/TXL	6626108	4		2	●	-				
PKW4M-P7X2-5/TXL	6626112	4		5	●	-				
PKW4M-P7X2-10/TXL	6626187	4		10	●	-				

M8 연장 케이블

모델명	ID No.	유형	핀 수	케이블 길이	LED	실드	디자인	재질
PKG3M-0.3-PSG3M/TXL	6625665	Female/ Male	3	0.3	-	-	일자형	PUR
PKG3M-0.6-PSG3M/TXL	6625666		3	0.6	-	-		
PKG3M-1-PSG3M/TXL	6625667		3	1	-	-		
PKG3M-1.5-PSG3M/TXL	6627117		3	1.5	-	-		
PKG3M-2-PSG3M/TXL	6625668		3	2	-	-		
PKG3M-5-PSG3M/TXL	6627147		3	5	-	-		
PKG3M-0.3-PSG3M/TEL	6625300		3	0.3	-	-	PVC	
PKG3M-0.6-PSG3M/TEL	6625301		3	0.6	-	-		
PKG3M-1-PSG3M/TEL	6625302		3	1	-	-		
PKG3M-2-PSG3M/TEL	6625303		3	2	-	-		
PKG3M-5-PSG3M/TEL	6626547		3	5	-	-		
PKW3M-0.3-PSG3M/TXL	6627098		3	0.3	-	-	직각형/ 일자형	PUR
PKW3M-0.6-PSG3M/TXL	6627101		3	0.6	-	-		
PKW3M-1-PSG3M/TXL	6627110		3	1	-	-		
PKW3M-2-PSG3M/TXL	6627123		3	2	-	-		
PKW3M-5-PSG3M/TXL	6626822	3	5	-	-			
PKG4M-0.3-PSG4M/TXL *	6625670	4	0.3	-	-			
PKG4M-0.6-PSG4M/TXL *	6625671	4	0.6	-	-			
PKG4M-1-PSG4M/TXL *	6625672	4	1	-	-			
PKG4M-1.5-PSG4M/TXL *	6627059	4	1.5	-	-			
PKG4M-2-PSG4M/TXL *	6625673	4	2	-	-			
PKG4M-5-PSG4M/TXL *	6627076	4	5	-	-			
PSG4M-0.2-PSG4M/TXN **	6630376	Male/Male	4	0.2	-	-	일자형/ 일자형	

* Includes supply cable for TBEN-S

** Jumper for TBEN-S (see manual)

M12 케이블

모델명	ID No.	유형	핀 수	케이블 길이	LED	실드	디자인	재질
RKC4T-2/TXL	6625500	Female	3	2	-	-	일자형	PUR
RKC4T-5/TXL	6625501		3	5	-	-		
RKC4T-10/TXL	6625502		3	10	-	-		
RKC4T-2/TEL	6625010		3	2	-	-		
RKC4T-5/TEL	6625011		3	5	-	-	PVC	PVC
RKC4T-10/TEL	6625012		3	10	-	-		
WKC4T-2/TXL	6625512		3	2	-	-	PUR	PUR
WKC4T-5/TXL	6625513		3	5	-	-		
WKC4T-10/TXL	6625514		3	10	-	-		
WKC4T-2/TEL	6625022		3	2	-	-	직각형	PVC
WKC4T-5/TEL	6625023		3	5	-	-		
WKC4T-10/TEL	6625024		3	10	-	-		
WKC4T-P7X2-2/TXL	6626201		3	2	●	-	PUR	PUR
WKC4T-P7X2-5/TXL	6626205		3	5	●	-		
WKC4T-P7X2-10/TXL	6626209		3	10	●	-		
RKS4T-2/TXL	6626293		3	2	-	●	PUR	PUR
RKS4T-5/TXL	6626294		3	5	-	●		
RKS4T-10/TXL	6626295		3	10	-	●		
RSC4.4T-2/TXL	6625527	Male	4	2	-	-	일자형	PVC
RSC4.4T-5/TXL	6625528		4	5	-	-		
RSC4.4T-10/TXL	6625529		4	10	-	-		
RSC4.4T-2/TEL	6625037		4	2	-	-		
RSC4.4T-5/TEL	6625038		4	5	-	-		
RSC4.4T-10/TEL	6625039		4	10	-	-		
RKC4.4T-2/TXL	6625503	Female	4	2	-	-	PUR	PUR
RKC4.4T-4/TXL	6626676		4	4	-	-		
RKC4.4T-5/TXL	6625504		4	5	-	-		
RKC4.4T-10/TXL	6625505		4	10	-	-		
RKC4.4T-2/TEL	6625013		4	2	-	-	PVC	PVC
RKC4.4T-5/TEL	6625014		4	5	-	-		
RKC4.4T-10/TEL	6625015		4	10	-	-		
RKC4.4T-15/TEL	6627009		4	15	-	-	직각형	PUR
RKC4.4T-20/TEL	6627011		4	20	-	-		
WKC4.4T-2/TXL	6625515		4	2	-	-		
WKC4.4T-5/TXL	6625516		4	5	-	-		
WKC4.4T-10/TXL	6625517		4	10	-	-		
WKC4.4T-15/TXL	6627092		4	15	-	-		

모델명	ID No.	유형	핀 수	케이블 길이	LED	실드	디자인	재질
WKC4.4T-2/TEL	6625025	Female	4	2	-	-	직각형	PVC
WKC4.4T-5/TEL	6625026		4	5	-	-		
WKC4.4T-10/TEL	6625027		4	10	-	-		
WKC4.4T-15/TEL	6627010		4	15	-	-		
WKC4.4T-20/TEL	6627012		4	20	-	-	일자형	PUR
RKC4.4T-P7X2-2/TXL	6626795		4	2	●	-		
RKC4.4T-P7X2-5/TXL	6626177		4	5	●	-		
RKC4.4T-P7X2-10/TXL	6626184		4	10	●	-	직각형	PUR
WKC4.4T-P7X2-2/TXL	6626173		4	2	●	-		
WKC4.4T-P7X2-5/TXL	6626178		4	5	●	-		
WKC4.4T-P7X2-10/TXL	6626185		4	10	●	-		
WKC4.4T-P7X3-2/TXL	6626174		4	2	●	-	PUR	PUR
WKC4.4T-P7X3-5/TXL	6626179		4	5	●	-		
WKC4.4T-P7X3-10/TXL	6626186		4	10	●	-		
RKS4.4T-2/TXL	6626333		4	2	-	●	PUR	PUR
RKS4.4T-5/TXL	6626334		4	5	-	●		
RKS4.4T-10/TXL	6626335		4	10	-	●		
RKC4.5T-2/TXL	6625506		5	2	-	-	일자형	PVC
RKC4.5T-5/TXL	6625507		5	5	-	-		
RKC4.5T-10/TXL	6625508		5	10	-	-		
RKC4.5T-2/TEL	6625016		5	2	-	-	직각형	PUR
RKC4.5T-5/TEL	6625017	Female	5	5	-	-		
RKC4.5T-10/TEL	6625018		5	10	-	-		
RKC4.5T-25/TEL	6626422		5	25	-	-	PUR	PVC
WKC4.5T-2/TXL	6625518		5	2	-	-		
WKC4.5T-5/TXL	6625519		5	5	-	-	직각형	PUR
WKC4.5T-10/TXL	6625520		5	10	-	-		
WKC4.5T-2/TEL	6625028		5	2	-	-		
WKC4.5T-5/TEL	6625029		5	5	-	-	PUR	PVC
WKC4.5T-10/TEL	6625030		5	10	-	-		
RKS4.5T-2/TXL	6626373		5	2	-	●	일자형	PUR
RKS4.5T-5/TXL	6626374		5	5	-	●		
RKS4.5T-10/TXL	6626375		5	10	-	●		
RKC8T-2/TXL	6625142		8	2	-	-		
RKC8T-5/TXL	6625143		8	5	-	-	PUR	PVC
RKC8T-10/TXL	6625144		8	10	-	-		

M12 연장 케이블

모델명	ID No.	유형	핀 수	케이블 길이	LED	실드	디자인	재질
RKC4T-0.3-RSC4T/TXL	6625601	Female/ Male	3	0.3	–	–	일자형/ 일자형	PUR
RKC4T-0.6-RSC4T/TXL	6625602		3	0.6	–	–		
RKC4T-1-RSC4T/TXL	6625603		3	1	–	–		
RKC4T-2-RSC4T/TXL	6625604		3	2	–	–		
RKC4T-5-RSC4T/TXL	6625730		3	5	–	–		
RKC4.4T-0.3-RSC4.4T/TXL	6625605		4	0.3	–	–		
RKC4.4T-0.6-RSC4.4T/TXL	6625606		4	0.6	–	–		
RKC4.4T-1-RSC4.4T/TXL	6625607		4	1	–	–		
RKC4.4T-1.5-RSC4.4T/TXL	6627055		4	1.5	–	–		
RKC4.4T-2-RSC4.4T/TXL	6625608		4	2	–	–		
RKC4.4T-3-RSC4.4T/TXL	6627065		4	3	–	–		
RKC4.4T-4-RSC4.4T/TXL	6627072		4	4	–	–		
RKC4.4T-5-RSC4.4T/TXL	6625731	Female/ Male	4	5	–	–	직각형/ 일자형	PUR
RKC4.4T-10-RSC4.4T/TXL	6627087		4	10	–	–		
RKC4.4T-0.3-RSC4.4T/TEL	6625205		4	0.3	–	–		
RKC4.4T-0.6-RSC4.4T/TEL	6625206		4	0.6	–	–		
RKC4.4T-1-RSC4.4T/TEL	6625207		4	1	–	–		
RKC4.4T-2-RSC4.4T/TEL	6625208		4	2	–	–		
RKC4.4T-5-RSC4.4T/TEL	6625440		4	5	–	–		
RKC4.5T-1-RSC4.5T/TXL	6625611		5	1	–	–		
RKC4.5T-2-RSC4.5T/TXL	6625612		5	2	–	–		
RKC4.5T-5-RSC4.5T/TXL	6625732		5	5	–	–		
WKC4.4T-0.3-RSC4.4T/TXL	6625637	Female/ Male	4	0.3	–	–	직각형/ 일자형	PUR
WKC4.4T-0.6-RSC4.4T/TXL	6625638		4	0.6	–	–		
WKC4.4T-1-RSC4.4T/TXL	6625639		4	1	–	–		
WKC4.4T-2-RSC4.4T/TXL	6625640		4	2	–	–		
WKC4.4T-5-RSC4.4T/TXL	6626878		4	5	–	–		
WKC4.4T-P7X2-0.3-RSC4.4T/TXL	6626021		4	0.3	●	–		
WKC4.4T-P7X2-0.6-RSC4.4T/TXL	6626025		4	0.6	●	–		
WKC4.4T-P7X2-1-RSC4.4T/TXL	6625901		4	1	●	–		
WKC4.4T-P7X2-1.5-RSC4.4T/TXL	6626037		4	1.5	●	–		
WKC4.4T-P7X2-2-RSC4.4T/TXL	6625902		4	2	●	–		
WKC4.4T-P7X2-5-RSC4.4T/TXL	6625904		4	5	●	–		

이더넷 케이블

모델명	ID No.	유형	핀 수	케이블 길이	LED	실드	디자인	재질
RJ45S-FKSDD-4416-2M	6441604	RJ45/M12	4	2	–	●	일자형/ 일자형	PUR
RJ45S-FKSDD-4416-5M	6441607		4	5	–	●		
RJ45S-FKSDD-4416-10M	6441609		4	10	–	●		
RJ45S-RJ45S-4416-2M	6441613	RJ45/RJ45	4	2	–	●		
RJ45S-RJ45S-4416-5M	6441616		4	5	–	●		
RJ45S-RJ45S-4416-10M	6441619		4	10	–	●		
RSSD-RJ45S-4416-2M	6441631	M12/RJ45	4	2	–	●		
RSSD-RJ45S-4416-5M	6441633		4	5	–	●		
RSSD-RJ45S-4416-10M	6441637		4	10	–	●		
RSSD-RSSD-4416-2M	6441652	M12/M12	4	2	–	●		
RSSD-RSSD-4416-5M	6441655		4	5	–	●		
RSSD-RSSD-4416-10M	6441659		4	10	–	●		
WSSD-RSSD-4416-2M	6441691		4	2	–	●	직각형/ 일자형	
WSSD-RSSD-4416-5M	6441692		4	5	–	●		
WSSD-RSSD-4416-10M	6441693		4	10	–	●		
PSGS4M-PSGS4M-4416-0.5M	6934032	M8/M8	4	0.5	–	●	일자형/ 일자형	
PSGS4M-PSGS4M-4416-1M	6934033		4	1	–	●		
RSSD-4416-2M	6935289	M12	4	2	–	●	일자형	
RSSD-4416-5M	6935290		4	5	–	●		
RSSD-4416-10M	6935291		4	10	–	●		

이더넷 케이블 액세서리

모델명	ID No.	유형	핀 수	실드	디자인
FKSDD RJ45SF 44	U3-00647	M12 female/RJ45 female 어댑터	4	●	
FKSD-FKSD-44	6935264	M12 female/M12 female 어댑터	4	●	
6GK1901-1BB10-2AA0/FC-RJ45	6780031	현장 배선형 RJ45 male	4	●	일자형
FW-M12ST5D-G-SB-ME-SH-8	6604218	현장 배선형 M12 male	4	●	일자형
FW-M12KU5D-G-SB-ME-SH-8	6604219	현장 배선형 M12 female	4	●	일자형

정선 박스

모델명	ID No.	포트 수	포트 당 채널 수	채널 수	LED
TB-4M12-4-CS12T	6611900	4 × M12	1	4	–
TB-4M12-4-CS12H	6611956		1	4	–
TB-4M12-4P2-CS12T	6611902		1	4	●
TB-4M12-4P2-CS12H	6611958		1	4	●
TB-4M12-5-CS19T	6611901		2	8	–
TB-4M12-5-CS19H	6611957		2	8	–
TB-4M12-5P3-CS19T	6611903		2	8	●
TB-4M12-5P3-CS19H	6611959		2	8	●
TB-8M12-4-CS12T	6611940	8 × M12	1	8	–
TB-8M12-4-CS12H	6611964		1	8	–
TB-8M12-4P2-CS12T	6611942		1	8	●
TB-8M12-4P2-CS12H	6611966		1	8	●
TB-8M12-5-CS19T	6611941		2	16	–
TB-8M12-5-CS19H	6611965		2	16	–
TB-8M12-5P3-CS19T	6611943		2	16	●
TB-8M12-5P3-CS19H	6611967		2	16	●

정선박스용 M23 케이블

모델명	ID No.	유형	핀 수	케이블 길이	배정		디자인	재질
					포트 당 채널	채널 수		
CKCM12-7-5/TXL	6631122	Female	12	5	1	4	일자형	PUR
CKCM12-7-10/TXL	6631123		12	10	1	4		
CKCM12-11-5/TXL	6631124		12	5	2	8		
CKCM12-11-10/TXL	6631125		12	10	2	8		
CKCWM12-7-5/TXL	6631126		12	5	1	4	직각형	
CKCWM12-7-10/TXL	6631127		12	10	1	4		
CKCWM12-11-5/TXL	6631128		12	5	2	8		
CKCWM12-11-10/TXL	6631129		12	10	2	8		
CKM19-11-5/TXL	6631130		19	5	1	8	일자형	
CKM19-11-10/TXL	6631131		19	10	1	8		
CKM19-19-5/TXL	6631132		19	5	2	16		
CKM19-19-10/TXL	6631133		19	10	2	16		
CKWM19-11-5/TXL	6631134		19	5	1	8	직각형	
CKWM19-11-10/TXL	6631135		19	10	1	8		
CKWM19-19-5/TXL	6631136		19	5	2	16		
CKWM19-19-10/TXL	6631137		19	10	2	16		

Y–스플리터, 2 포트

모델명	ID No.	유형	핀 수	LED
YB2-FSM4.4-2PKG3M	6930549	M12 male/2 × M8 female	4/3	–
YB2-FSM4.4-2PKG3M-P7X3	6930546	M12 male/2 × M8 female	4/3	●
VB2-FSM4.4-2MFK3	6930559	M12 male/2 × M8 female	4/3	–
VB2-FSM4.4-2FKM4	6930560	M12 male/2 × M12 female	4/3	–
VB2-FKM4.4-2FSM4	6930561	M12 female/2 × M12 male	4/3	–
VB2-PX3-FSM4.4-2FKM4	6930567	M12 male/2 × M12 female	4/3	●
YB2-FSM5-2FKM5.4	6930492	M12 male/2 × M12 female	5	–
VB2-FSM5-2FKM4.4	6930562	M12 male/2 × M12 female	5	–

M8 현장 배선 커넥터

모델명	ID No.	유형	핀 수	케이블 직경	터미널 용량	디자인
BS5133-0	6901012	Male	3	3.5...6.0 mm	0.14...0.5 mm ²	일자형
B5133-0	6901030	Female	3	3.5...6.0 mm	0.14...0.5 mm ²	
BS5143-0	6901013	Male	4	3.5...6.0 mm	0.14...0.5 mm ²	
B5143-0	6901031	Female	4	3.5...6.0 mm	0.14...0.5 mm ²	

M12 현장 배선 커넥터

모델명	ID No.	유형	핀 수	케이블 직경	터미널 용량	디자인
BS8141-0	69010	Male	4	4.0...6.0 mm	0.14...0.75 mm ²	일자형
BS8141-0/PG9	6901003		4	6.0...8.0 mm	0.14...0.75 mm ²	
BS8241-0	69011		4	4.0...6.0 mm	0.14...0.75 mm ²	직각형
B8141-0	69049	Female	4	4.0...6.0 mm	0.14...0.75 mm ²	일자형
B8141-0/PG9	6904901		4	6.0...8.0 mm	0.14...0.75 mm ²	
B8241-0	69048		4	4.0...6.0 mm	0.14...0.75 mm ²	직각형
BS8151-0/9	6904613	Male	5	6.0...8.0 mm	0.14...0.75 mm ²	일자형
BS8251-0/9	6904615		5	6.0...8.0 mm	0.14...0.75 mm ²	직각형
B8151-0/9	6904604	Female	5	6.0...8.0 mm	0.14...0.75 mm ²	일자형
B8251-0/9	6904603		5	6.0...8.0 mm	0.14...0.75 mm ²	직각형

7/8" 현장 배선 커넥터

모델명	ID No.	유형	핀 수	케이블 직경	터미널 용량	디자인
BS4141-0/13.5	6914510	Male	4	10.0...12.0 mm	0.14...1.0 mm ²	일자형
B4141-0/13.5	6914509	Female	4	10.0...12.0 mm	0.14...1.0 mm ²	
BS4151-0/13.5	6904716	Male	5	10.0...12.0 mm	0.14...1.0 mm ²	
B4151-0/13.5	6904715	Female	5	10.0...12.0 mm	0.14...1.0 mm ²	

TURCK

28 subsidiaries and over
60 representations worldwide!

100000122 | 2018



www.turck.com